

Patients' Aid Foundation (PAF)

on premises at the Jinnah Postgraduate Medical Center (JPMC)

Karachi

Bidding Documents

SUPPLY, INSTALLATION & COMMISSIONING OF NETWORKING EQUIPMENT FOR PACS 6TH FLOOR SURGICAL COMPLEX AT JINNAH POSTGRADUATE MEDICAL CENTREKARACHI

For The Financial Year 2023-2024

Due on 27th June 2024

Issued By:

Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC Cyberknife & Tomotherapy building, Room 17, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan 75510

E-mail: chairman.paf@pafjpmc.org

Cell: +92301-1189041

Patients' Aid Foundation Jinnah Postgraduate Medical Centre, Karachi Government of Sindh

SUPPLY, INSTALLATION & COMMISSIONING OF NETWORKING EQUIPMENT FOR PACS 6^{TH} FLOOR SURGICAL COMPLEX AT JINNAH POSTGRADUATE MEDICAL CENTRE-KARACHI

1. The Office of the Chairman Patients' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC, Karachi invites sealed tenders as per following details during financial year 2023 – 2024. The local/International manufacturer having local agent / sole distributor with established credentials in terms of technical, financial and managerial capabilities are eligible to participate.

S.No	Tender details	Tender Fee	Tender Due Date
I.	Networking Equipment for PACS	Rs. 2,000/-	27 th June 2024

- 2. Interested bidders may download Tender Documents from the Official Website of Patients' Aid Foundation (www.patientsaidjpmc.org), and get stamp on tender documents from the office Secretary Supervisory Committee Surgical Complex, (Address: Room no 17 Cyberknife & Tomotherapy Building, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi Pakistan 75510) on payment of non-refundable fee in the form of Pay Order/CDR/Demand Draft in the name of "Patients' Aid Foundation" during office hours on or before 27th June 2024.
- 3. Bidders are required to submit their written application for issuance of tender documents along with copy of CNIC, NTN & GST certificate.
- 4. Single stage / two envelopes bidding procedure shall be adopted. The envelope shall be marked as "TECHNICAL PROPOSAL" and "FINANCIAL PROPOSAL" (sealed) in bold and legible letters. The financial proposal of bids found technically non-responsive shall be returned un-opened to the respective bidders.
- 5. The bidder shall ensure that their tenders are complete in all respects. The bidder should submit tender document on 27th June 2024 before 11:00 am at the office Secretary Supervisory Committee, Surgical Complex (Address: Room no 17 Cyberknife & Tomotherapy Building, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi Pakistan 75510). Technical proposal will be opened on the same day at 11:30 am in the Room 06 Cyberknife & Tomotherapy Building, Jinnah Postgraduate Medical Centre, Rafiqui Shaheed Road Karachi. The incomplete tenders and tenders received after the closing date and time will not be considered.
- 6. In case the date of opening or last date of submission is declared as public holiday by the Government or non-working day due to any reason, the next official working day shall deemed to be the date of submission and opening of bids. The time and venue will remain the same.
- 7. Original bid security / earnest money 2% of total cost in the form of Pay Order/CDR/Demand Draft in favor of "Patients' Aid Foundation" should be attached with the financial bid and photocopy of the same without showing the value attached with the technical bid as demanded in the bidding documents.
- 8. The undersigned / tenderer reserve the rights to reject any or all the tenders without assigning any reason thereof.

Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC Cyberknife & Tomotherapy building, Room 17, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan 75510

E-mail: chairman.paf@pafipmc.org

Cell: +92301-1189041

Instructions to Bidders (ITB)

INTRODUCTION:

Surgical & OPD complex of JPMC was an ECNEC approved project of Federal Government (Worth USD 60.000 million). The then PM Shoukat Aziz did its ground breaking in March 2007 at Governor House Karachi. It was announced that project will be completed in three years because of the poor condition of existing surgical block which had been declared unfit for use by Pak PWD in 2006. But till 2014, funds were not released and patients kept on suffering. Therefore, the then Executive Director Prof. Tasnim Ahsan requested PAF to arrange funds for this mega project.

Since NESPAK had already designed the project in consultation with a US based architect Cathryn Bang and partners so PAF requested the NESPAK for value engineering and agreed at a target of USD 35.000 million instead of USD 60.000 million for a nine story building having 550 beds, 18 Operation theaters and an OPD complex for 4000 patients daily.

PAF also agreed to arrange USD 21.000 million for building and USD 3.000 million for equipment. Government of Sindh pledged funding for equipment costing USD 11.000 million.

1. SOURCE OF FUND

1.1. The Government of Sindh has committed to provide funding Patients' Aid Foundation, Jinnah Postgraduate Medical Center-Karachi during the financial year 2022-2023, to equip the Surgical Complex of JPMC, Karachi. A Project of PAF & funded by Government of Sindh.

2. ELIGIBLE BIDDERS

- 2.1 This Invitation for Bids is open to all original Manufacturers, within Pakistan and abroad, and their Authorized Agents/Importers/Suppliers subject to the conditions that:
- 2.2 The Agents/Suppliers/Importers must possess valid sole authorization from the Manufacturer. In case of Manufacturers, they should have documentary proof to the effect that they are the original Manufacturers of the required specifications.
- 2.3 Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by any Government (Federal or Provincial), a local body or a public sector organization.
- 2.4 The bidders should have operational office(s) in Pakistan and possess financial sustainability to meet timely supply.

3. ELIGIBLE GOODS

- 3.1 In the case of Goods offered from outside the Pakistan, Certified ISO, CE, FDA (whichever applicable) and respective quality certified products as required in the bidding document shall be considered as eligible goods by the bidder;
- 3.2 Goods should be packed and transported in a material that meets international standards;

3.3 Goods should meet required specification in the bidding document.

THE BIDDING PROCEDURE

4. SINGLE STAGE – TWO ENVELOPES BIDDING PROCEDURE

- 4.1 Single stage two envelopes bidding procedure will be applied.
- 4.2 The bid shall comprise a single package containing two separate envelopes. Each envelope shall contain separately the technical proposal and the financial proposal;
- 4.3 The envelopes shall be marked as "TECHNICAL PROPOSAL" and "FINANCIAL PROPOSAL" in bold and legible letters to avoid confusion;
- 4.4 Initially, only the envelope marked "TECHNICAL PROPOSAL" shall be opened; for technical bid each vendor is requested to fill up the Performa of technical specification with the desired information in the last column with verifiable references form the data sheets / technical brochures. Please fill up on the same MS Word format as per desired information saying YES/NO and if needed give proper pagination, paragraph & line description for easy assessment by technical committee.
- 4.5 The envelope marked as "FINANCIAL PROPOSAL" shall be retained in the custody of the Patients' Aid Foundation without being opened.
- 4.6 Patients' Aid Foundation shall evaluate the technical proposal, without reference to the financial proposal and reject any proposal which does not conform to the specified requirements.
- 4.7 The financial proposal of bids shall be opened in the presence of bidders qualifying in technical evaluation at time, date and venue to be announced / communicated in advance by e-mail.
- 4.8 Financial proposal of the bids failing to qualify in the technical evaluation will be returned to the bidders unopened.
- 4.9 The bidder quoting the lowest price and qualifying as per technical evaluation criteria mentioned in the bidding document shall be declared Successful.

THE BIDDING DOCUMENTS

5. CONTENTS OF BIDDING DOCUMENTS

5.1 The Bidding Documents:

In addition to the Tender Notice, the bidding documents include:

- i. Instructions to Bidders (ITB);
- ii. General Conditions of Contract (GCC);
- iii. Special Conditions of Contract (SCC);
- iv. Schedule of Requirements;
- v. Technical Specifications;
- vi. Contract Form;

- vii. Bid Form;
- viii. Price Schedule:
- ix. Integrity Pact
- 5.2 In case of discrepancies between the Tender Notice and the Bidding Documents listed in 5.1 above, the Bidding Documents shall take precedence.
- 5.3 The bidders are expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish complete information required in the bidding documents or to submit a bid not substantially responsive to the bidding documents may result in rejection.

6. AMENDMENT OF BIDDING DOCUMENTS

- 6.1 At any time prior to the deadline for submission of bids, Patients' Aid Foundation may, for any reason, whether at its own initiative or in response to any query or clarification requested by a prospective Bidder, modify the bidding documents by amendment.
- All prospective bidders that have received the bidding documents will be notified the amendment(s) in writing or by email which will be binding on them.
- 6.3 In order to allow prospective bidders reasonable time to take the amendment(s) into account in preparing their bids, Patients' Aid Foundation may, at its discretion, extend the deadline for submission of the bids.

PREPARATION OF BIDS

7. LANGUAGE OF BID

7.1 Preparation of Bids

The bid prepared by the bidder, as well as all correspondence and documents relating to the bid exchanged by the bidder and Patients' Aid Foundation shall be in English. Supporting documents and printed literature furnished by the bidder may be in another language provided these are accompanied by an accurate translation of the relevant passages in English, in which case for purposes of interpretation of the Bid, the translated version shall prevail.

8. DOCUMENTS COMPRISING THE BID

- 8.1 The bid prepared by the Bidder shall comprise the following:
 - i. Bid Form and Price Schedule (to be submitted along with financial proposal);
 - ii. Documentary evidence to the effect that the Bidder is eligible to bid and is qualified to perform the Contract if its bid is accepted;
 - iii. Documentary evidence to the effect that the goods to be supplied by the Bidder are eligible goods as defined in clause-3 and conform to the bidding documents; and
 - iv. Photo copy of Bid Security with hidden amount.

9. BID PRICES

- 9.1 The Bidder shall indicate in the Price Schedule, the unit prices and total bid price of the goods it proposes to supply under the Contract.
- 9.2 Prices indicated on the Price Schedule shall be on CIF basis except local items.
- 9.3 Price Schedule is to be filled in very carefully, preferably typed. Any alteration/correction

must be initialed.

- 9.4 The Bidder should quote the price(s) of goods according to the technical specifications as provided in the Technical Specifications. The specifications of goods inferior from the ones required by the Patients' Aid Foundation shall straightway be rejected.
- 9.5 The Bidder is required to offer competitive price(s). All price(s) must include the project management, drawing, transportation, loading/unloading/ installation/ commissioning/ up-to satisfaction of end user.

10. BID CURRENCIES

10.1 Prices shall be quoted in respective foreign currency for goods offered.

11. DOCUMENTS ESTABLISHING GOODS' ELIGIBILITY

- 11.1 The Bidder shall furnish along with technical proposal, as part of its bid, documents establishing eligibility and conformity of the goods which it proposes to supply under the Contract.
- 11.2 Submission of documents of Goods offered as under:
 - i. Original Brochure
 - ii. Technical Datasheet/ specifications
 - iii. ISO, CE, FDA, 510(k) or whichever certification is required
 - iv. Customer List (Local & International)
- 11.3 No technical proposal / bid will be considered in the absence of mandatory document(s) or sample(s) as per ITB 12.2. The offer will be rejected / ignored for further evaluation in such absence.

12. BID SECURITY

- 12.1 The Bidder shall furnish, as part of its financial proposal, a Bid Security (earnest money) in the amount specified in Special Conditions of Contract (SCC). Unsuccessful bidders' Bid Security will be returned soon after approval of the successful Bidder. The successful Bidder's Bid Security will be discharged upon signing of contract and furnishing the Performance Security bond, duly guaranteed by a scheduled bank.
- 12.2 The Bid Security is required to protect Patients' Aid Foundation against the risk of Bidder's conduct, which would warrant the Security's forfeiture;
- 12.3 The Bid Security may be forfeited:
 - i. If a Bidder withdraws its bid during the period of bid validity; or
 - ii. In the case of a successful Bidder, if the Bidder fails:
 - a. To sign the Contract; or
 - b. To complete the supplies in accordance with the General Conditions of Contract.

13. BID VALIDITY

- 13.1 Bids shall remain valid for a period of 120 days. A bid valid for a shorter period shall be treated as non-responsive
- 13.2 Patients' Aid Foundation shall ordinarily be under an obligation to process and evaluate the

bids within the stipulated bid validity period. However, for any reasons to be recorded in writing, if any extension is considered necessary, all those who have submitted their bids shall be asked to extend their respective bid validity period.

SUBMISSION OF BIDS

14. SEALING AND MARKING OF BIDS

- 14.1 The envelopes shall be marked separately as "TECHNICAL PROPOSAL" and "FINANCIAL PROPOSAL" in bold and legible letters to avoid confusion. The Bidder shall seal the proposals/bids in separate envelopes and put them in a relatively bigger envelope to be sealed.
- 14.2 The inner and outer envelopes shall:
 - i) Be addressed to Patients' Aid Foundation at the address given in the Tender Notice (Invitation of Bids); and
 - ii) Bear the Project name indicated in the [Invitation for Bids (IFB)] title and number indicated, and a statement: "DO NOT OPEN BEFORE," to be completed with the time and the date specified in the Tender Notice.
- 14.3 The inner envelopes shall also indicate the name and address of the Bidder to enable Patients' Aid Foundation to return the bid unopened in case it is declared as "non-responsive" or "late" as the case may be.
- 14.4 If the outer and the inner envelopes are not sealed and marked as required, Patients' Aid Foundation will assume no responsibility for the bid's misplacement or premature opening.

15. DEADLINE FOR SUBMISSION OF BIDS

- 15.1 Bids must be submitted by the bidders and received by Patients' Aid Foundation at the specified address not later than the time and date specified in the Tender Notice.
- 15.2 Patients' Aid Foundation may, at its convenience, extend this deadline for submission of bids by amending the bidding documents in which case all rights and obligations of Patients' Aid Foundation and the Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

16. LATE BID

16.1 Any bid received by Patients' Aid Foundation after the deadline for submission of bids prescribed by Patients' Aid Foundation shall not be entertained and returned unopened to the bidder.

17. WITHDRAWAL OF BIDS

17.1 The Bidder may after its submission withdraw prior to the expiry of the deadline prescribed for submission of bids.

OPENING AND EVALUATION OF BIDS

18. OPENING OF BIDS BY PATIENTS' AID FOUNDATION

- 18.1 The Procuring Agency will initially open only the envelopes marked "TECHNICAL PROPOSAL" in the presence of Bidders' or their representatives who choose to be present at the time of bid opening on the date, time and place specified in the Tender Notice. The bidders or their representatives who are present shall sign the Attendance Sheet evidencing their attendance. The envelope marked as "FINANCIAL PROPOSAL" shall be retained in the custody of Procuring Agency without being opened till the completion of the evaluation process.
- 18.2 The bidders' names, item(s) for which they quoted their rate(s) and such other details as Patients' Aid Foundation may consider appropriate, will be announced at the time of opening of technical proposals. However, at the time of opening of Financial Proposals on a pre-indicated date, time and venue, the bid prices, discounts (if any), and the presence or absence of requisite Bid Security and such other details as Patients' Aid Foundation, may consider appropriate, will be announced.
- 18.3 Any financial bid found without the prescribed bid security (earnest money) shall be straightaway rejected even if it qualified in the process of technical evaluation.
- 18.4 Patients' Aid Foundation will prepare minutes of the technical and financial bids opening meetings and will get these minutes signed by the Chairman and members of the Supervisory Committee constituted by Health Department Government of Sindh vide reference no: NO.SO(B)1-45/ (PAF-JPMC)2020-21.

19. CLARIFICATION OF BIDS

19.1 During the process of evaluation of the bids, Patients' Aid Foundation may ask a Bidder for any clarifications of its bid. The request for such clarifications and the response shall be in writing. However, no change in the quoted price or substance of the bid shall be sought, offered, or permitted.

20. PRELIMINARY EXAMINATION

- 20.1 Patients' Aid Foundation will examine the bids to determine whether they are complete; whether any computational errors have been made; whether the required sureties have been furnished; whether the documents have been properly signed and linked, and whether the bids are generally in order.
- 20.2 Arithmetical errors in a financial bid will be rectified in the following manner:
 - If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected.
 - ii) If there is a discrepancy between words and figures, the amount in words will prevail.
 - iii) If the Bidder/Supplier does not accept the correction of the errors, its bid will be rejected.
- 20.3 The Project & Procurement Committee may waive any minor infirmity, non-conformity, or discrepancy in a bid if in their view, it does not constitute some material deviation, provided that such waiver does not prejudice or affect the relative ranking of any Bidder.
- 20.4 If a bid is found substantially non-responsive, it will be rejected by Patients' Aid Foundation. It cannot subsequently be made responsive by the Bidder by correction of the nonconformity / discrepancy.

21. EVALUATION & COMPARISON OF BIDS

- 21.1 Patients' Aid Foundation will evaluate and compare the bids, which have been determined to be substantially responsive.
- 21.2 The technical proposals/bids will be evaluated on the basis of Technical Specification / rule, previous supply experience, financial soundness working period / backup service with part-without part and such other details as Patients' Aid Foundation may consider appropriate for making a. sound judgment. However, the financial proposal will be evaluated on the basis of price and bid Security, being major factor, without ignoring the other relevant conditions as well.

22. EVALUATION CRITERIA

22.1 Technical Proposals

DOCUMENTS CHECKLIST

Please review the following list of **MANDATORY DOCUMENTS** to be enclosed with the Technical Proposal.

S.No.	Document Description	Yes / No	Page No.
1.	Tender Purchase Receipt (Original) / Tender Fee Pay Order		
2.	Bid Security [Copy with value hidden in Technical Proposal; Original in Financial Proposal]		
3.	Bidding Documents issued by Patients' Aid Foundation [Duly filled, Signed & Stamped by Bidder]		
4.	Item-wise/ Feature – wise product compliance/ deviation sheet/ statement on Bidder's Letterhead. [Duly filled, Signed & Stamped by Bidder]		
5.	Technical Proposal on bidder's letterhead [Duly filled, Signed & Stamped by Bidder]		
6.	Undertaking [as per attached Sample]		
7.	Certificates [as per attached Sample]		
8.	Income Tax & GST Registration Certificate with Active tax payer status on FBR.		
9.	Valid Professional Tax Certificate (Sindh)		
10.	DRAP Registration/License [For medical devices/equipment]		
11.	Income Tax Return (last 3 years)		
12.	Audited Financial Statement (last year)		
13.	Manufacturer's Authorization to Bidder		
14.	Brochure or Catalogue (Original) [Submission in form of photocopy, photographs or word document is not acceptable]		
15.	Technical Data Sheet		
16.	Quality Certificates such as ISO, CE, FDA and Origin etc. [Required certification mentioned in tender specification of each item]		

22.2 Financial Proposals:

- a) After technical evaluation is completed, Patients' Aid Foundation shall inform the disqualified bidders that their bid has been found non-responsive and that their financial proposal will be returned unopened after completing the process. Patients' Aid Foundation shall simultaneously inform in writing the qualified bidders date, time and place for opening the financial proposals. Bidder's attendance at the opening of financial proposal is optional.
- b) Financial proposals shall be opened publicly in the presence of the bidders or their representatives who choose to be present. Total prices quoted by each the financial proposal shall also be announced and recorded.

23. Contacting Patients' Aid Foundation

- 23.1 No bidder shall contact Patients' Aid Foundation on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded. If any bidder wishes to bring additional information to the notice of Patients' Aid Foundation, it may do so in writing.
- 23.2 Any direct or indirect effort by a bidding firm to influence Patients' Aid Foundation during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in Patients' Aid Foundation future tenders.

24. REJECTION OF BIDS

24.1 Notwithstanding anything stated here-before after Patients' Aid Foundation may reject any or all bids at any time prior to the acceptance of a bid. Patients' Aid Foundation may upon request communicate to a bidder (subjected to decision of procurement committee), regarding grounds for its rejection, but shall not be under obligation to justify those grounds.

25. RE-BIDDING

25.1 If Patients' Aid Foundation has rejected all bids, it may move for a re-bidding or may seek any alternative method of procurement.

26. ANNOUNCEMENT OF EVALUATION REPORT

26.1 Patients' Aid Foundation will announce the Evaluation Report and the resultant acceptance or rejection of bids at least 3 days prior to the award of procurement contract.

AWARD OF CONTRACT

27. ACCEPTANCE OF BID AND AWARD CRITERIA

27.1 The bidder with lowest evaluated bid under clause 22, if not in conflict with any other law, rules, regulations or policy of the Government, will be awarded the contract within the original or extended period of bid validity.

28. PROCURING AGENCY'S RIGHT TO VARY QUANTITIES

28.1 Patients' Aid Foundation reserves the right to increase or decrease the quantity of stores originally specified in the Price Schedule and Schedule of Requirements without any change in unit price or other terms and conditions.

29. LIMITATIONS ON NEGOTIATIONS

- 29.1 Negotiations only for delivery schedule or completion schedules will be conducted.
- 29.2 Negotiations will not be used to change substantially:
 - i) The technical quality or details of the requirement, including the tasks or responsibilities of the bidder or the performance of the goods;
 - ii) The terms and conditions of the Contract and;
 - iii) Anything affecting the crucial or deciding factors in the evaluation of the proposals / tenders and / or selection of successful bidder.

30. NOTIFICATION OF AWARD

30.1 Prior to the expiry of the original or extended period of bid validity, the successful bidder will be informed in writing of acceptance of its bid by Patients' Aid Foundation

31. SIGNING OF CONTRACT

- 31.1 While conveying acceptance of bid to the successful bidder, Patients' Aid Foundation will send him / her Contract Form provided in the bidding documents, incorporating all points of agreement between the Parties.
- 31.2 Five days after the official announcement of the award, both the successful Bidder and Patients' Aid Foundation will sign and date the Contract on legal stamp paper valuing 0.35% of the value of contract (cost shall be borne by the bidder). In case the successful Bidder, after completion of all codal formalities, shows inability to sign the Contract, its Bid Security / Earnest Money shall be forfeited. The firm may also be blacklisted from taking part in any future bidding of Procuring Agency for a period up to five years. In such a situation, Patients' Aid Foundation may make the award to the next lowest evaluated bidder or move for re-tender.

32. PERFORMANCE GUARANTEE SECURITY

- 32.1 One day before the date of signing of the Contract, the successful Bidder shall furnish 5% Performance Guarantee/Security in line with the Performance Guarantee/Security Form provided with the bidding documents. Upon submission of Performance Guarantee the Bid Security (Earnest Money) will be returned to the Bidder
- 32.2 Failure of the successful Bidder to comply with any of the requirements specified in this document shall be considered as sufficient grounds for the annulment of the award and forfeiture of the Bid Security, in which event Patients' Aid Foundation may make the award to the next lowest evaluated Bidder at the risk and cost of the former.

33. CORRUPT OR FRAUDULENT PRACTICES

- 33.1 The Procuring Agency and the Bidders / Manufacturers / Suppliers / Contractors are expected to observe the highest standard of ethics during the procurement and execution of the Contract. In pursuance of this policy, the relevant terms / phrases as may apply are defined below:
 - i) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of Members in the procurement process or in Contract execution; and
 - ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a Contract to the detriment of Patients' Aid Foundation, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels

- 33.2 Patients' Aid Foundation will take all possible administrative / legal measures if it is found that the Bidder recommended for award was / is engaged in corrupt or fraudulent practice(s) before or after signing of the contract resulting into the conviction of the proprietor under criminal case besides blacklisting of the firm either indefinitely or for such period of time as may be determined by Patients' Aid Foundation
- 33.3 Will declare a firm ineligible, either indefinitely or for a stated period of time, for the award of a Contract if it, at any time, determines that the firm has engaged in corrupt or fraudulent practices in competing for or in executing a Contract.

General Conditions of Contract (GCC)

1. DEFINITIONS

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
 - a) "The Contract" means the agreement entered into between Patients' Aid Foundation and the Supplier, as recorded in the Contract Form signed by the Parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its Contractual obligations.
 - c) "The Goods" means Machinery/Equipment and Accessories which the Supplier is required to supply to Patients' Aid Foundation under the Contract.
 - d) "The Services" means those services ancillary to the supply of the above goods, such as project management, drawing, and packing, transportation of goods up to the desired destinations and other such obligations of the Supplier covered under the Contract.
 - e) "GCC" mean the General Conditions of Contract contained in this section.
 - f) "SCC" means the Special Conditions of Contract.
 - g) "Patients' Aid Foundation" means the Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, , Secretary Office, Room No 16 Cyberknife & Tomotherapy building, Jinnah Postgraduate Medical Centre, Karachi 75510, Pakistan.
 - h) "The Supplier" means the individual or firm supplying the goods under this Contract.
 - i) "Day" means official working day excluding national holidays.

2. APPLICATION

2.1 These General Conditions shall apply to the extent that they are not inconsistent with provisions of other parts of the Contract.

3. STANDARDS

3.1 The goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

4. USE OF CONTRACT DOCUMENTS AND INFORMATION

4.1 The Supplier shall not without the Procuring Agency's prior written consent, disclose the. Contract, or any provision thereof, or any specification, plan, drawing, pattern; sample, or information

furnished by or on behalf of Patients' Aid Foundation in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract. Disclosure to such employed person shall be made in confidence and shall extend only, as far as may be' necessary, to such performance and not further or otherwise.

- 4.2 Any document, other than the Contract itself, shall remain the property of Patients' Aid Foundation and shall be returned (all copies) on completion of the Supplier's performance under the Contract.
- 4.3 The Supplier shall permit Patients' Aid Foundation to inspect the Supplier's accounts and records relating to the performance of the Supplies.

5. PATENT RIGHTS

5.1 The Supplier shall indemnify Patients' Aid Foundation against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the country.

6. ENSURING STORAGE ARRANGEMENTS

6.1 To ensure storage arrangements for the intended supplies, the Supplier shall inform Patients' Aid Foundation at least four weeks prior to the arrival of the consignments at its store/warehouse. However, in case no space is available at its store/warehouse of PAF/JPMC at the time of supply. Holding of equipment in a safe container at parking area of Surgical Complex will be responsibility of the Vendor.

7. INSPECTIONS

- 7.1 Patients' Aid Foundation or its representative shall have the right to inspect and/or test the goods to confirm their conformity to the Contract specifications.
- 7.2 Patients' Aid Foundation reserves the right to have third party inspection, test and, where necessary, reject the goods upon arrival at Procuring Agency's destinations.

8. DELIVERY AND DOCUMENTS

8.1 The Supplier shall in accordance with the terms specified in the Schedule of Requirements make delivery of the goods. Details of documents to be furnished by the Supplier are specified in SCC.

9. TRANSPORTATION

9.1 The Supplier shall arrange such transportation of the goods at respective Floor of Surgical Complex whatever safe mode is needed to prevent them from damage or deterioration during transit to their final destination as indicated in the Schedule of Requirements.

10. INCIDENTAL SERVICES

10.1 The Supplier will be required to provide to the Procuring Agency incidental services the cost of which should be included in the total bid price.

11. WARRANTY

Warranty mean the period of 3 years from the date on which the Stores have been put into operation and demonstrated to the Hospital staff. In any case this period shall not exceed 2½ years from the

- date of taking-over certificate.
- During the period of warranty, the Contractor shall remedy, at his / her expense, all defects in design, materials, and workmanship that may develop or are revealed under normal use of the goods.
- 11.3 The contactor shall provide guarantee for spare parts for at least 10 years (where applicable).
- 12.4 Patients' Aid Foundation shall promptly notify the Supplier in writing of any claims arising out of this warranty.

12. PAYMENT

12.1 The method and conditions of payment to be made to the Supplier under this Contract are specified in SCC.

13. ASSIGNMENT

13.1 The Supplier shall not assign, in whole or in part, its obligations to perform to another party under this Contract, except with Patients' Aid Foundation prior written consent.

14. DELAYS IN THE SUPPLIER'S PERFORMANCE

- 14.1 Delivery of the goods shall be made by the Supplier in accordance with the time schedule prescribed by Patients' Aid Foundation in the Schedule of Requirements.
- 14.2 If at any time in the course of performance of the Contract, the Supplier encounters anything impeding timely delivery of the goods, he shall promptly notify Patients' Aid Foundation in writing of the causes of delay and its likely duration. As soon as practicable, after receipt of the Supplier's notice, Patients' Aid Foundation shall evaluate the situation and may, depending on merits of the situation, extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the Parties by a supplementary Contract to be treated as an addendum to the original contract.
- 14.3 Any undue delay by the Supplier in the performance of its delivery obligations shall render it liable to the imposition of liquidated damages.

15. TERMINATION FOR DEFAULT

- 15.1 Patients' Aid Foundation may, without prejudice to any other remedy for breach of Contract, by a written notice of default sent to the Supplier, terminate this Contract in whole or in part if:
 - a) The Supplier fails to deliver any or all installments of the goods within the period(s) specified in the Contract, or within any extension thereof granted by Patients' Aid Foundation
 - b) The Supplier fails to perform any other obligation(s) under the Contract to the satisfaction of Patients' Aid Foundation; and
 - c) The Supplier, in the judgment of Patients' Aid Foundation, has engaged itself in corrupt or fraudulent practices before or after executing the Contract.

16. FORCE MAJEURE

16.1 The Supplier shall not be liable for forfeiture of its Performance Guaranty/ Bid Security, or termination / blacklisting for default if and to the extent that this delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For the

purposes of this Clause Force Majeure means an act of God or an event beyond the control of the Supplier and not involving the Supplier's fault or negligence directly or indirectly purporting to malplanning, mismanagement and /or lack of foresight to handle the situation. Such events may include but are not restricted to acts of Patients' Aid Foundation in its sovereign capacity, wars or revolutions, fires, floods, earthquakes, strikes, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify Patients' Aid Foundation in writing with sufficient and valid evidence of such condition and the cause thereof. The Committee, constituted for redressing grievances, will examine the pros and cons of the case and all reasonable alternative means for completion of purchase order under the Contract and will submit its recommendations to the competent authority. However, unless otherwise directed by Patients' Aid Foundation in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek reasonable' alternative means for performance not prevented by the Force Majeure event.

17. TERMINATION FOR INSOLVENCY

17.1 Patients' Aid Foundation may at any time terminate the Contract by giving written notice of one month time to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In that event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right or remedy which has accrued or will accrue thereafter to the Parties.

18. ARBITRATION AND RESOLUTION OF DISPUTES

- 18.1 Patients' Aid Foundation and the Supplier shall make every effort to resolve amicably by direct informal negotiations any disagreement or dispute arising between them under or in connection with the Contract.
- 18.2 If, after thirty (30) days from the commencement of such informal negotiations, the Patients' Aid Foundation and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred to the Arbitrator for resolution through arbitration.
- 18.3 In case of any dispute concerning the interpretation and/or application of this Contract is to be settled through arbitration, the National Centre for Dispute Resolution and an Arbitrator assigned by the Centre &/or his nominee shall act as a sole arbitrator. The decisions taken and/or award given by the sole arbitrator shall be final and binding on the Parties unless appealed in the High Court of Sindh.

19. GOVERNING LANGUAGE

19.1 The Contract shall be written in English language. All correspondence and other documents pertaining to the Contract, which are exchanged by the Parties, shall be written in English.

20. APPLICABLE LAW

20.1 This Contract shall be governed by the laws of Pakistan and the courts of Pakistan shall have exclusive jurisdiction.

Special Conditions of Contract (SCC)

21. DEFINITIONS (GCC CLAUSE 1)

GCC 1.1 (g) The Procuring Agency &/OR the Patients Aid Foundation is Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, Room no 16, Cyberknife & Tomotherapy, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan 75510

GCC 1.1 (h)	The Supplier is:		
		(Name and address of the successful bidder)	

22. BID SECURITY (ITB CLAUSE 12)

ITB 12.1

The Bidder shall furnish, as part of its financial proposal/bid, refundable Valid Bid Security/Earnest Money in Pak Rupees @ 2% fixed In the shape of Bank Draft / Pay Order / Call Deposit / Bank Guarantee in the name of the Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC, Karachi. The financial bid found deficient of the Bid Security will be rejected. No personal cheque in lieu thereof will be acceptable at any cost. The previous Bid Security, if any, will not be considered or carried forward. However, the Bid Security of the successful Bidder will be returned upon submission of Performance Guarantee equal to 5% of the Contract amount that will remain with the Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, Room no 16, Cyberknife & Tomotherapy, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan till satisfactory completion of the Contract period. In case of unsuccessful bidders, the Bid Security will be returned as soon as possible.

23. PERFORMANCE GUARANTEE/SECURITY (ITB CLAUSE 32)

After signing of Contract, the successful Bidder shall furnish the Performance Guarantee/Security on legal stamp paper equivalent to 5% of the total Contract amount from any of the scheduled banks. The Performance Guarantee/Security Form is provided in the bidding documents. Upon submission of Performance Guarantee the Bid Security would be returned to the Bidder.

24. INSPECTIONS AND TESTS (GCC CLAUSE 7)

GCC 7.1 & 7.2 The goods received in the premises of JPMC from the Supplier will be thoroughly inspected and examine by a Committee to make sure that the goods received conform to the specifications laid down in the tender documents and which have been approved by the Procurement.

Committee for procurement. The Procurements Committee reserve the right for third party inspection for the quality of Modular Operation Theatre or any other equipment. Any deficiency pointed out by the Committee shall have to be rectified by the Supplier free of cost.

25. DELIVERY AND DOCUMENTS (GCC CLAUSE 8)

GCC Clause 8.1 For Goods from outside Patients' Aid Foundation country:

The Bidder shall provide the following documents at the time of delivery of goods to the Store / Warehouse of the Patients' Aid Foundation Jinnah Postgraduate Medical Center, for verification duly completed in all respects:

i) Manufacturer's detailed packing list.

26. WARRANTY (GCC CLAUSE 11)

- GCC 12.1 The goods shall be accompanied by manufacturer standard warranty / guarantee or 3 years, whichever is more.
- GCC 12.2 Patients' Aid Foundation shall promptly notify the Bidder in writing of any claims arising out of this warranty.

27. PAYMENT (GCC CLAUSE 12)

- GCC 13.1 The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:
 - a) Payment shall be made through letter of credit at sight for the purchase order based on CPT/CFR basis
 - b) Payment shall be made after delivery of goods for the purchase order based on DDP basis

28. PENALTIES/LIQUIDATED DAMAGES (GCC CLAUSE 14)

GCC 14.1 In case deliveries are not completed within the time frame specified in the schedule of requirements, a Show Cause Notice will be served on the Supplier which will be following by cancellation of the Contract to the extent of non-delivered portion of installments. No supplies will be accepted and the amount of Performance Guarantee / Security to the extent of non-delivered portion of supplies of relevant installments will be forfeited. If the firm fails to supply the whole installments, the entire amount of Performance Guarantee/Security will be forfeited to the Patients' Aid Foundation Account and the firm will be blacklisted at least for two years for future participation in bids:

29. ARBITRATION AND RESOLUTION OF DISPUTES (GCC CLAUSE 18)

GCC 18.3 Dispute resolution mechanism to be applied shall be as follows:

In case of any dispute concerning the interpretation and/or application of the Contract, it shall be settled through arbitration. The National Centre for Dispute Resolution & their Arbitrator assigned there-in &/or his nominee shall act as sole arbitrator. The decisions taken and/or award given by the arbitrator shall be final and binding on the Parties unless appealed in the High Court of Sindh at Karachi

30. GOVERNING LAN	GUAGE (GCC CLAUSE 19)
GCC 19.1	The language of this Contract shall be English.
31. APPLICABLE LA	WS (GCC CLAUSE 20)
GCC 20.1	The Contract shall be governed by the Laws of Pakistan and the Courts of Pakistan shall have exclusive jurisdiction.
32. TRAININGS	
	Vendors should provide International service and Application (if applicable) training to or smooth and proper working of equipment for long time of machinery and local trainings ctory operation of equipment.
33. NOTICES	Procuring Agency's address for notice purposes:
	Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC Cyberknife & Tomotherapy building, Room 17, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan 75510 E-mail: chairman.paf@pafjpmc.org Cell: +92301-1189041
	Supplier's address for notice purposes:

Bidder:	
Contact Person & Designation:	
Phone:	_Fax:
Mobile:	
Fmail:	

Schedule Of Requirement (s) Networking Equipment for PACS

Supply, installation and commissioning of Networking Equipment for PACS for the Financial Year 2023-2024

Item No	Name Of Item	Qty	Model	Brand	Country of Origin	Delivery
	Firewall (5TP)	01				
2.	Firewall (2.6 TP)	01				
3.	Access Switch	25				
4.	Aggregation Switch	01				
5.	Access Point with Controller	48				
6.	9U Rack	10				
7.	42U Rack	01				
8.	6- port Optical Distribution Frame	16				
9.	24- port Optical Distribution Frame	01				
10.	Cable Manager	50				
11.	Patch Panel	15				
12.	Pigtail Cable (3 meters each)	64				
13.	Patch Cord Fiber	64				
14.	Patch Cord Copper	500		<u> </u>		
15.	I/O for Ethernet including face plate	500				
16.	1 KVA UPS	55				

Bidder Authorized Signature:	
Bidder Name:	
Contact Person:	
Contact No:	

Bid Form

Date:
To: [Name and address of Procuring Agency] Dear Sir,
Having examined the Bidding Documents, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver the goods specified in the said Bidding Documents for the sum of [Total Bid Amount], [Bid Amount in words] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this bid.
We undertake, if our bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.
If our bid is accepted, we shall obtain an unconditional guarantee of a bank in the sum of 5% of the Contract Price for the due performance of the Contract, in the form prescribed by Patients' Aid Foundation.
We agree to the validity of this bid till from the date fixed for financial bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
Until a formal Contract is prepared and executed, this bid, together with the written acceptance thereof and notification of award, by Patients' Aid Foundation, shall constitute a binding Contract between us.
We understand that you are not bound to accept the lowest or any bid you may receive. Dated this
day of2024.
Signature (In the capacity of)
Duly authorized to sign bid for and on behalf of

Price Schedule

Supply, installation and commissioning of Networking Equipment for PACS for the Financial Year 2023-2024

Item No	Name Of Item	Qty	Unit Price	Total Price
1.	Firewall 5TP	01		
2.	Firewall 2.6 TP	01		
3.	Access Switch	25		
4.	Aggregation Switch	01		
5.	Access Point with Controller	48		
6.	9U Rack	10		
7.	42U Rack	01		
8.	6- port Optical Distribution Frame	16		
9.	24- port Optical Distribution Frame	01		
10.	Cable Manager	50		
11.	Patch Panel	15		
12.	Pigtail Cable (3 meters each)	64		
13.	Patch Cord Fiber	64		
14.	Patch Cord Copper	500		
15.	I/O for Ethernet including face plate	500		
16.	1 KVA UPS	55		

[SAMPLE FORM: A]

Undertaking

WHEREAS [Bidder Name] hereby undertake against the Tender Enquiry No.__ to abide by the following clauses.

- a) Whether our tender accepted for total, partial or enhanced quantity for all or any single item. I/We agreed to supply and accept the said item(s) at the rates for the supply of contracted quantity within the stipulated period shown in the contract.
- b) If placed order, Equipment/Machinery to be supplied will be original, brand new product / latest model and none of the part is refurbished, replace or old.
- c) We understand and confirm the refund of cost difference if the same goods is/was supplied at lower rates to any other Govt. /Semi Govt. institution in the province in the same fiscal year.
- d) D) If any of the information submitted in accordance to this tender Enquiry found incorrect, our contract may be cancelled at any stage on our cost and risk.

[Signature for and on behalf of Bidder]	[Date]	

Note: This undertaking should be on a stamp paper of Rs. 100/- arranged by the Bidder. It should be enclosed inside the Technical Proposal by the Bidder.

[SAMPLE FORM: B]

Certificate

To

[Name & Address of Patients' Aid Foundation

WHEREAS [Bidder Name] hereby certify against the Tender Enquiry No. Abide by the following clauses.

- a) We guarantee to supply the stores exactly in accordance with the requirement specified in the tender documents.
- b) We guarantee **letter** that the supplied item(s) is original / brand new product.
- c) Our firm is not black listed in any **Government** Department.

Authorized Sign & Stamp

[Bidder Name]

Note: This certificate should be on the letterhead of the Bidder and should be signed by a person competent and having the power of attorney to bind the Bidder. It should be enclosed inside the Technical Proposal by the Bidder.

[SAMPLE FORM: C]

Contract

THIS AGREEMENT made the _	day of	20	_ between [r	name of Pr	ocuring A	gency] of
[country of Procuring agency] (hereinafter called "Pati	ents' Aid Fo	oundation")	of the one	part and	[name of
Supplier] of [city and country of	Supplier] (hereinafter ca	ılled "the Sup	plier") of the	e other part	:	

WHEREAS Patients' Aid Foundation invited bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures]

(Hereinafter called "the Contract Price") as follows.

S. No.	Item Description	Model	Brand	Qty	Unit Price	Total Price
1	2	3	4	5	6	7

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 17. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) The Bid Form and the Price Schedule submitted by the Bidder;
 - (b) The Schedule of Requirements;
 - I The Technical Specifications;
 - (d) The General Conditions of Contract;
 - I The Special Conditions of Contract; and
 - (f) Patients' Aid Foundation Notification of Award.
- 3. In consideration of the payments to be made by Patients' Aid Foundation to the Supplier as hereinafter mentioned, the Supplier hereby covenants with Patients' Aid Foundation to

provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. Patients' Aid Foundation hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS where of the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Patients' Aid Foundation	Supplier
Authorized Signature & Official Stamp	Authorized Signature & Official Stamp
Patients' Aid Foundation	Bidder Name
Address	Address
Contact No.	Contact No.
Witness	Witness
Name, Sign & CNIC No	Name, Sign & CNIC No

[SAMPLE FORM: D]

Performance Guarantee/Security Form

To:

[Name & Address of Patients' Aid Foundation]

Whereas [Name of Bidder] (hereinafter called "the Bidder") has undertaken, in pursuance of Contract No.

[Number] dated [date] to supply [description of goods] (hereinafter called "the Contract").

And whereas it has been stipulated in the said Contract that the Bidder shall furnish to Patients' Aid Foundation

with a Bank Guarantee by a scheduled bank for the sum of 5% of the total Contract amount as Security for

compliance with the Bidder's performance obligations in accordance with the Contract.

And whereas we have agreed to provide a Guarantee: for the said Bidder

Therefore, we hereby unconditionally and irrevocably guarantee, on behalf of the Bidder, up to a total of [Amount

of the Guarantee in Words and Figures and we undertake to pay you, upon your first written demand declaring

the Bidder to be in default under the Contract and without requiring Patients' Aid Foundation to initiate action

against the Bidder and without cavil or argument any sum or sums within the limits of [Amount of Guarantee]

as aforesaid. The amount stated in the demand made under this guarantee shall be conclusive proof of the amount

payable by the Guarantor under this guarantee.

The obligations of the Guarantor under this guarantee shall be valid for one year after the completion of delivery

of supplies by the Bidder to Patients' Aid Foundation of the full quantity of the goods for which this Guarantee

is being given, and until all and any obligations and sums due have been paid in full.

[Signature and Seal of the Guarantors / Bank]

Address

Date

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC PAYABLE BY THE SUPPLIERS/CONTRACTORS/CONSULTANTS.

Contract Number:	Dated:
Contract Value:	
Contract Title:	
of any contract, right, interest, privilege or of	ereby declares that it has not obtained or induced the procurement ther obligation or benefit from Government of Sindh (GoS) or any or any other entity owned or controlled by it (GoS) through any
warrants that it has fully declared the brokers or agreed to give and shall not give or agree indirectly through any natural or juridical consultant, director, promoter, shareholder, s fee or kickback, whether described as consult procurement of a contract, right, interest, pri	going, [Name of Supplier/Contractor/Consultant] represents and age, commission, fees etc. paid or payable to anyone and not given to give to anyone within or outside Pakistan either directly or person, including its affiliate, agent, associate, broker, ponsor or subsidiary, any commission, gratification, bribe, finder's ation fee or otherwise, with the object of obtaining or inducing the vilege or other obligation or benefit, in whatsoever form, from Foundation, JPMC) except that which has been expressly
agreements and arrangements with all person taken any action or will not take any action of [Name of Supplier/Contractor/Consultant] ac declaration, not making full disclosure, misrepthis declaration, representation and warranty obligation or benefit obtained or procured as available to PA under any law, contract or oth Notwithstanding any rights and remedies Supplier/Contractor/Consultant] agrees to incits corrupt business practices and further pay of any commission, gratification, bri Supplier/Contractor/Consultant] as aforesaid	rertifies that it has made and will make full disclosure of all as in respect of or related to the transaction with PA and has not to circumvent the above declaration, representation or warranty. Excepts full responsibility and strict liability for making any false presenting facts or taking any action likely to defeat the purpose of y. It agrees that any contract, right, interest, privilege or other aforesaid shall, without prejudice to any other right and remedies her instrument, be voidable at the option of PA. exercised by PA in this regard, [Name of demnify PA for any loss or damage incurred by it on account of compensation to PA in an amount equivalent to ten time the sum be, finder's fee or kickback given by [Name of for the purpose of obtaining or inducing the procurement of any gation or benefit, in whatsoever form, from PA.
[Procuring Agency]	[Supplier/Contractor/Consultant]

Note

- 17. All the above said instructions, terms and conditions in this bidding document must be read carefully for compliance; else the offer will be ignored.
- 2. In case of discrepancy between the unit price and total, the unit price shall prevail
- 3. Institute reserves the right to ask and verify any document from the participants related with Manufacturer / Importer of item, to assess the quality.
- 4. All the Bid documents should be submitted page wise, any missing of papers will not be responsible of procurement authority
- 5. The quantity of items will be increased or decreased subject to the release of funds
- 6. Shortfall of any document given under evaluation criteria shall render the Bidding firm ineligible for competition

Chairman Patient' Aid Foundation & Supervisory Committee, Surgical Complex, JPMC Cyberknife & Tomotherapy building, Room 17, Jinnah Postgraduate Medical Center, Rafiqui Shaheed Road, Karachi – Pakistan 75510

E-mail: chairman.paf@pafjpmc.org

Cell: +92301-1189041

1.	Firewal	l Appliance Qty: 1
1.1.	IPS Throughput	5 Gbps
1.2.	NGFW Throughput	3.5 Gbps
1.3.	Threat Protection Throughput	3 Gbps
1.4.	Firewall Throughput (Per Sec)	16.5 Mpps
1.5.	IPSEC VPN Throughput	13 Gbps
1.6.	Concurrent sessions TCP	3 Million
1.7.	SSL VPN Throughput 2 Gbps	
1.8.	Reduandant PSU Yes	
1.9.	HA Configuration Active-Active, Active-Passive & Clustring	
1.10.	18x GE RJ4 including 1x Mgmt port, 1x HA port,	
	Interfaces 16x switch ports. 8xGE SFP slots, 4x 10GE SFP+	
		slots.
1.11.	AI-ML	Yes
1.12.	Power Consumption 101.92 W / 118.90 W 104.52 W / 121.94 W	
1.13.	Processor NP6XLite/CP9	
1.14.	Warranty 3 Years	
1.15.	Managemnet	Management and topology view

2.		Firewall Appliance	Qty: 1
2.1.	IPS Throughput	2.6 Gbps	
2.2.	NGFW Throughput	1.6 Gbps	
2.3.	Threat Protection 1 Gbps		
2.4.	Throughput Firewall Throughput (Per Sec) 15 Mpps		
2.5.	IPSEC VPN Throughput	11.5 Gbps	
2.6.	Concurrent sessions TCP	1.5 Million	
2.7.	SSL VPN Throughput 1 Gbps		
2.8.	Redundant PSU Yes		
2.9.	HA Configuration Active-Active, Active-Passive & Clustering		
2.10.			•
2.11.	AI-ML Yes		
2.12.	Power Consumption 26.5 W / 29.5 W 35.3 W / 39.1 W		
2.13.	Processor SPU		
2.14.	Warranty 3 Years		
2.15.	Management and topology view		

3.	Ethernet Switch Qty: 25		Qty: 25
3.1.	Forwarding Performance 42 Mpps		
3.2.	Switching Capacity 56 Gbps/520Gbps		
3.3.	Fixed Ports 24 x 10/100/1000BASE-T ports, 4 x GE SFP ports		
3.4.	POE	POE +	

3.5.		MAC address auto-learning and aging
	MAC Features	Static, dynamic, and blackhole MAC address entries
	MAC reatures	Packet filtering based on source MAC addresses
		Interface-based MAC address learning limiting
3.6.		4094 VLANs
		Voice VLAN
	VLAN Features	MUX VLAN
		VLAN assignment based on MAC addresses, protocols, IP
		subnets, policies, and ports
3.7.	IP Routing Static route, RIPv1/v2, RIPng, OSPF, OSPFv3	
3.8.	Intononoughility	VBST (compatible with PVST/PVST+/RPVST)
Interoperability		LNP (similar to DTP)
3.9.	I stack	Yes
3.10.	Network Slicing	Yes
3.11.	Intelligent O&M	Yes
3.12.	2. Management Management/Cloud Management	
3.13.	Licensing	Layer2, IPv4 and IPv6
3.14.	. Warranty 3 Years	
3.15.	Power	33.04 W

4.	Ethernet Switch Aggregation Qty: 1		
4.1.	Forwarding Performance 132 Mpps		
4.2.	Switching Capacity	176 Gbps/520Gbps	
4.3.	Fixed Ports 24 x 10/100/1000BASE-T ports, 4 x 10 GE SFP+ ports, 2		FP+ ports, 2
	Fixed Ports	stack ports	
4.4.	POE	POE +	
4.5.	MAC address auto-learning and aging		
	MAC Features	Static, dynamic, and black hole MAC address	sentries
	WAC reatures	Packet filtering based on source MAC addres	
		Interface-based MAC address learning limiting	ng
4.6.		4094 VLANs	
		Voice VLAN	
	VLAN Features	MUX VLAN	
		VLAN assignment based on MAC addresses,	protocols, IP
	subnets, policies, and ports		
4.7.	IP Routing Static route, RIPv1/v2, RIPng, OSPF, OSPFv3		3
4.8.	Interoperability	VBST (compatible with PVST/PVST+/RPVS	ST)
	Interoperability	LNP (similar to DTP)	
4.9.	I stack	Yes	
4.10.	Network Slicing	Yes	
4.11.	Intelligent O&M Yes		
4.12.	Management Management Management		
4.13.	Licensing	Layer2, IPv4 and IPv6	
4.14.	Warranty	3 Years	
4.15.	y .		

5.	Indoor Access Point Qt		Qty: 48
5.1.	Dimensions $\Phi 220 \times 50 \text{ mm}$		·
5.2.		DC: 12 V ±10%	
	Power Input	PoE power supply: In compliance with 8	802.3at.
5.3.	Maximum Power Consumption	17.9 W (excluding USB)	
5.4.	Maximum Number of Users	≤ 1024	
5.5.	Antenna Type	Built-in Smart Antennas	
5.6.	MIMO:Spatial Streams	2.4 GHz: 2x2:2; 5 GHz: 4x4:4	
5.7.	Radio Protocols	802.11a/b/g/n/ac/ac wave2/ax	
5.8.	Maximum Rate	5.375 Gbit/s	
5.9.		Smart Antenna array technology, High s	speed access,
	Features	High density boost technology, Load balancing	
	reatures	during Smart roaming, Rouge device monitoring,	
		Automatic radio calibration	
5.10.		WEP, WPA/WPA2-PSK, WPA3, WPA	, and the second
	Security	WPA/WPA2-PPSK, WPA/WPA2/WPA3-802.1x,	
		and WAPI, STA Blacklist/Whitelist	
5.11.	WLAN Functions	Yes, Basic Wlan functions	
5.12.		Management/Cloud Management	
5.13.	QOS Features	Yes, WMM	
5.14.		Unified management and maintenance of	
		Fit AP mode, Automatic login, automatic	
	Maintenance Features	configuration loading and plug and play	
		mode, batch upgrade, Telnet, Stelnet usi	ing SSHv2,
		Stelnet using SSHv2	
5.15.	Warranty	3 Years	

6.	9U Rack	Qty: 10	
6.1.	9U Rack 19-inch width with a height of 9 rack units (9U, 15.75inches).		
6.2.	Standard Wall Mount Rack / Cabinet / Enclosure – 9U, 19" (W600 x D450 x H501mm	n)	
	SWM6409.		
6.3.	Standard Scope of Supply		
6.4.	2 x 4-inch Fan (Low Noise) on Vented Top Flush Panel		
6.5.	2 x Side Door with Cam Lock		
6.6.	Front Door – Tempered Glass with Cam Lock		
6.7.	4 x Panel Mount with Unit Indication		
6.8.	1 x Integrated Wall Mounting Panel		
6.9.	1 x Power Distribution Unit (6 Way PDU)		
6.10.	1 Packet of M6 Cage Nuts Assembly		
6.11.	Finish with Epoxy Powder Coating		

7.	Rack 42Ux600Wx1100D	Qty: 1
7.1.	Strong and durable nine-folded solid frame profile which can	
	hold a static load of up to 1,600 kg	
7.2.	75% open high perforated doors for optimal air flow	
7.3.	Convenient tool-less installation of cable and air flow management	

7.4.	Fast deployment leveling feet		
7.5.	Heavy duty caster wheels for		
	easy movement		
7.6.	Enclosure height of 42U		
7.7.	Width of 600 mm		
7.8.	Depth of 1100		
7.9.	Side panels		
7.10.	Air flow management		
7.11.			
7.12.	PDU - VERTICAL 230V 32A 3.	.0M 20W C13 4W C19	
	32Amp		
	Input Plug Type = IEC60309 2P+	-E	
	Input Cord Length = 3 meter		
	Output Receptacles = 20 x C13 / 4 x C19		
	Socket Type = U Lock		
		GB/T 2421.1-2008 / IEC60068-1:2013	
	Climatic Test GB/T 2423.1-2008 / IEC60068-2-1:2007		
7.15.		GB/T 2423.2-2008 / IEC60068-2-2:2007	
7.16.		GB/T 2423.3-2016 / IEC60068-2-78:2012	
7.17.		GB/T2423.56-2006 / IEC60068-2-64:2008	
7.18.	<u> </u>	-15 to 40 (5 to 104)	
	Drop Test	GB/T2423.8-1995 / IEC60068-2-31:2008	
	Tip and Tip Over Test	ASTM D6179-2007	
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
7.22.			
	Certifications* China RoHS		
7.24.			
7.25.		Assessed to EN 55032 and	
7.26.		EN 55024 for CE	
7.27.		Meti Denan (Japan)	

8.	6-Port ODF	Qty: 16	
8.1.	PARTS	MATERIAL	DIMENSION
8.2.	METAL SHELF	TOP & FRONT	
		COVER IS ALUM	
		1.2mm, OTHERS	410X310X43.5mm
		STEEL 1.2mm	(DXWXH)
8.3.	SPLICE TRAY		220X89X18mm
		PLASTIC	(LXWXH
8.4.	ADAPTER PANEL	STEEL, 1.5mm	
		THICKNESS	175X37mm (WXH)
8.5.	CABLE PLUG	RUBBER	28mm DIAMETER
8.6.	METAL MOUNTING	EARS STEEL 2.0mm	105X36X43.5mm
		THICKNESS	(DXWXH)

9.	24-Port ODF		Qty: 1
9.1.	PARTS	MATERIAL	DIMENSION
9.2.			430X328X43.5mm
	METAL SHELF	STEEL 1.5mm THICKNESS	(LXWXH)
9.3.			220X89X18mm
	SPLICE TRAY	PLASTIC	(LXWXH)
9.4.	ADAPTER PANEL	STEEL, 1.5mm THICKNESS	175X37mm (WXH)
9.5.	CABLE PLUG	RUBBER 28mm	DIAMETER
9.6.			105X36X43.5mm
	METAL MOUNTING	STEEL 2.0mm THICKNESS	(DXWXH)

10.	Cable Manager Fit to (e.g., 1U, 2U) with mounting options (front or rear) Qty: 50
10.1.	Size and Mounting: Fit standard rack units (e.g., 1U, 2U) with versatile mounting options (front
	or rear).
10.2.	Material and Durability: Durable metal/plastic build to withstand wear and tear.
10.3.	Capacity and Routing: Manage specified cable quantity for both horizontal and vertical routing.
10.4.	Features: Organized cable routing (pass-through, loops, guides) and optional accessories for
	bundling.
10.5.	Installation and Accessibility: Tool-friendly installation, easy cable access for maintenance
	without disruption.
10.6.	Labeling and Compatibility: Support labeling, compatible with standard rack sizes and cable
	types (copper, fiber optic).
10.7.	Ventilation and Safety: Consider ventilation for airflow, safety features like rounded edges.
10.8.	Documentation and Color Options: Include manufacturer documentation; optional color
	variations for organization.

11.	Pate	h Panel	Qty: 15
11.1.	Ports	24 ports, keystone, brushed aluminum	
11.2.	Keystone Jacks Compatibility	RJ45 K6 or K5e jacks	
11.3.		Category 6 hardware patch panel when RJ45	n loaded with
		K6 jacks Compatible with jacks having keyston optimized for the K6 and K5e range	e mounting,
		Dust protected ports when loaded with jacks	n K6 or K5e
	Features	Compact modular patch panel Cable management tray Flexible labelling facilities – port by paluminum	port for black
		versions, according EIA/TIA 606 Port blanking and colored identify cati 24 port options Delivered with screws, cage nuts, eart ties	1
		Individual port shielding in shielded v	ersions

12.	Pigtail Cable (3 meters each) (QTY: 64)	Qty: 15
12.1.	Fiber Type Requirement: Multimode (OM3 / OM4 / OM5) fiber options.	
12.2.	Connector Type Requirement: Provide SC, LC, ST, MTP/MPO, etc., connectors su varied connections.	itable for
12.3.	Connector Polish Type Requirement: Available in UPC (Ultra Physical Contact) or (Angled Physical Contact) for optimal connections.	APC
12.4.	Fiber Length Requirement: Precisely 3 meters in length to fulfill specific connective	ity needs.
12.5.	Buffer Type Requirement: Choice between tight-buffered or loose-buffered designs customizable installations.	s for
12.6.	Color Coding Requirement: Offer various colors for easy fiber identification and or	ganization.
12.7.	Jacket Material Requirement: Available in PVC, LSZH (Low Smoke Zero Halogen (Optical Fiber Nonconductive Plenum) jacket materials suitable for different environment.	
12.8.	Temperature Range Requirement: Operating within specified temperature ranges for performance.	or reliable
12.9.	Application Suitability Requirement: Suitable for indoor, outdoor, or both indoor/or installations as specified.	utdoor
12.10.	Compliance Requirement: Meets relevant industry standards and regulations for quassurance and safety.	ality
12.11.	Tensile Strength Requirement: Capable of withstanding specified force levels to endurability.	sure
12.12.	Bend Radius Requirement: Maintains signal integrity with a specified minimum benervent signal loss.	nd radius to

13.	Fiber Type: Multimode (OM3 / OM4 / OM5).	QTY: 64
13.1.	Connector Types: Common connectors include SC, LC, ST, MTP/MPO, etc.	
13.2.	Connector Polish Type: UPC (Ultra Physical Contact) or APC (Angled Physical Co	ntact).
13.3.	Fiber Diameter: Standard diameter: 9/125 microns for single-mode, 50/125 or 62.5/125 microns	
	for multimode.	
13.4.	Jacket Material: PVC, LSZH (Low Smoke Zero Halogen), or OFNP (Optical Fiber	
	Nonconductive Plenum).	
13.5.	Length: 3 meters.	
13.6.	Color: Various color options for cable and connector identification.	
13.7.	Temperature Range: Suitable operating temperature range.	
13.8.	Application: Indoor, outdoor, or both.	
13.9.	Tensile Strength: Withstands specified force before breaking.	
13.10.		
13.11.		

14.	State = JP = 1 = 1 = 1 = 1 = 1 = 1		
14.1.	Connector Types: RJ45 connectors on both ends.		
14.2.	Conductor Type: Solid or stranded copper conductors.		
14.3.	Jacket Material: PVC or LSZH (Low Smoke Zero Halogen).		
14.4.	Length: 3 meters.		
14.5.	Color: Various color options for cable and connector identification.		
14.6.	Termination: T568A or T568B wiring scheme.		
14.7.	Transmission Speed: Supports specified data rates (e.g., 1Gbps, 10Gbps).		
14.8.	Shielding: U/FTP (unshielded twisted pair) or F/UTP (foiled twisted pair) for enhanced		
	performance.		

15.	Face Plate and IO for Ethernet Qu	ty: 500)	
15.1.	Hardware performance: ANSI/TIA/568-C.2 ISO/IEC 11801 Edition 2, Am 1-2, ISO/IEC 60603-		
	7-5 EN		
15.2.	Compliance: PoE+ IEEE 802.3at		
15.3.	Operating voltage: < 75 VDC		
15.4.	Lead through resistance: $< 200 \text{ M}\Omega$		
15.5.	Insulation resistance: $> 500 \text{ M}\Omega$		
15.6.	Flame rating: UL 94 V-0		
15.7.	Operating temperature: -10° C to $+60^{\circ}$ C ($+14^{\circ}$ F to $+140^{\circ}$ F)		
15.8.	Conductor diameter: Solid wires 0.50 to 0.65 mm (26-22 AWG), Stranded wires 7.0x 0.	15 to 0.20	
	mm		
15.9.	Protection contacts: 1.6 mm, 1.27 μm		

16.		UPS 1KVA		Qty: 55
16.1.	PHASE		1 phase in / 1 phase out	
16.2.	CAPACITY	Standard Models	1000 VA / 900 W	
16.3.	CAPACII I	Long Backup Models	1000 VA / 800 W	
16.4.	Nominal Voltage		230 Vac	
16.5.		Low Line Loss	110 VAC ± 3% at 50% Load	
		Low Line Loss	176 VAC ± 3% at 100% Load	
16.6.		Low Line	120 VAC ± 3% at 50% Load	
	Voltage Range	Comeback	186 VAC ± 3% at 100% Load	
16.7.		High Line Loss	$280 \text{ VAC} \pm 3\%$	
16.8.		High Line Comeback	270 VAC ± 3%	
16.9.	Frequency Range		40 Hz ~ 70 Hz	
16.10.	Power Factor		≥ 0.99 @ 100% load	
16.11.	OUTPUT			
16.12.	Nominal Voltage		208/220/230/240VAC	
16.13.	AC Voltage Regulation		± 1%	
16.14.	Frequency Range (Synchronized	d Range)	46Hz ~ 54 Hz or 56Hz ~ 64 Hz	
16.15.	Frequency Range (Batt. Mode)		$50 \text{ Hz} \pm 0.1 \text{ Hz} \text{ or } 60 \text{ Hz} \pm 0.1 \text{ Hz}$	

	Current Crest Ratio		3:1 (max.)
16.16. 16.17.	Current Crest Ratio		\leq 3 % THD (Linear Load), \leq 7 % THD (Non-
10.17.	Harmonic Distortion		linear Load)
16.18.		Bypass to	inical Load)
10.10.	Transfer Time	Inverter (Line	Zero
	Transfer Time	mode)	2010
16.19.		Inverter to	
101171		Bypass (Line	4 ms (Typical)
		mode)	(2) (2) (2) (2) (2)
16.20.	,		Pure Sinewave
16.21.	,		0.88
16.22.	Inbuilt Isolation Transformer		No
16.23.	BATTERY		
16.24.		Battery Type	12V/9 AH
16.25.		Numbers	2
16.26.		Typical	4 hours recover to 90% capacity
	Standard Run Model	Recharge Time	4 hours recover to 90% capacity
16.27.	Standard Run Woder	Charging	1.0 A
		Current (max.)	1.0 A
16.28.		Charging	27.4VDC ± 1%
		Voltage	27.11 DC ± 1/0
16.29.	INDICATORS		
16.29. 16.30.			UPS status, Load level, Battery level,
	LCD Panel		Input/Output voltage, Discharge timer, and
16.30.	LCD Panel		
16.30. 16.31.	LCD Panel ALARM		Input/Output voltage, Discharge timer, and Fault conditions
16.30. 16.31. 16.32.	LCD Panel ALARM Battery Mode		Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds
16.30. 16.31. 16.32. 16.33.	LCD Panel ALARM Battery Mode Low Battery		Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second
16.30. 16.31. 16.32. 16.33. 16.34.	LCD Panel ALARM Battery Mode Low Battery Overload		Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second
16.30. 16.31. 16.32. 16.33. 16.34. 16.35.	LCD Panel ALARM Battery Mode Low Battery Overload Fault		Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36.	LCD Panel ALARM Battery Mode Low Battery Overload		Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second
16.30. 16.31. 16.32. 16.33. 16.34. 16.35.	LCD Panel ALARM Battery Mode Low Battery Overload Fault	Dimension, D x	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL	W x H (mm)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL	W x H (mm) Net Weight	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model	W x H (mm)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220 9.8
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37. 16.38.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT Operation Humidity and Tempe	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220 9.8 20-90 % RH @ 0- 45°C (non-condensing)
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37. 16.38. 16.40. 16.41.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT Operation Humidity and Tempe Noise Level	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220 9.8
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37. 16.39. 16.40. 16.41. 16.42.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT Operation Humidity and Tempe	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220 9.8 20-90 % RH @ 0- 45°C (non-condensing) Less than 50dBA @ 1 Meter
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37. 16.38. 16.40. 16.41.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT Operation Humidity and Tempe Noise Level MANAGEMENT	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding twice every second Continuously sounding 282 x 145 x 220 9.8 20-90 % RH @ 0- 45°C (non-condensing) Less than 50dBA @ 1 Meter Supports Windows®
16.30. 16.31. 16.32. 16.33. 16.34. 16.35. 16.36. 16.37. 16.39. 16.40. 16.41. 16.42.	LCD Panel ALARM Battery Mode Low Battery Overload Fault PHYSICAL "Standard Run Model ENVIRONMENT Operation Humidity and Tempe Noise Level	W x H (mm) Net Weight (kgs)	Input/Output voltage, Discharge timer, and Fault conditions Sounding every 4 seconds Sounding every second Sounding twice every second Continuously sounding 282 x 145 x 220 9.8 20-90 % RH @ 0- 45°C (non-condensing) Less than 50dBA @ 1 Meter

----End of Document----